Waterproofing Durable PVC Decorative Foil PVC High Gloss Sheet 0.14mm-0.5mm

Basic Information

- Place of Origin:
- Brand Name: Realsun Deco
 Minimum Order 3000m/model
- Minimum Order
 Quantity:
- Price: Negotiable
- Packaging Details: Pack in roll
- Delivery Time: 15-20 days
- Payment Terms: T/T 30% down payment, 70% balance before shipment

Foshan, China

• Supply Ability: 500000m/month



Product Specification

• Features:	Waterproof, Anti Flame, Anti-scratch, Antibacterial etc.	
• MOQ:	2000-3000m/model	
Surface:	Smooth, Embossed, Texture, Matte, Super Matte, Soft Touch, High Gloss	
Material:	PVC	
Thickness:	0.14mm-0.5mm	
Length:	100m-400m/roll	
Printing:	1-5Color Printing	
Packaging:	Rolls	
Highlight:	Waterproofing PVC Decorative Foil , PVC High Gloss Sheet 0.14mm, PVC Decorative Foil 0.14mm	

Our Product Introduction

Product Description:

Our **PVC Foil** is an attractive and affordable option when it comes to decorating surfaces of walls, doors, cabinets, furniture, and more. It is made up of Polyvinyl Chloride (PVC), a synthetic plastic with excellent strength, flexibility, and processing simplicity. With a range of colors, patterns, and textures, the PVC Foil can closely resemble the appearance of natural materials like wood, stone, cloth, and metal, while also being more economical.

Not only is it an appealing option, but it is also highly durable as well. Our PVC Foil is known for its resistance to deterioration and strong properties, making it appropriate for high-traffic areas. Once installed, it requires minimal maintenance, needing only a weekly wipe down with a wet cloth. It is also economical, thanks to its lower cost when compared to natural materials.

Our PVC Foil also comes with impressive adaptability, as it is suitable for different surfaces. Additionally, manufacturers provide many styles and finishes for customization and project requirements. It can be applied to various interior spaces, including wall paneling, furniture surfaces, retail displays, interior doors, kitchen and bathroom cabinets, and more.

Technical Parameters:

Our company provides a wide range of PVC film with thickness ranging from 0.1mm to 0.5mm, width of 1260mm and 1400mm, and length of 100-400m per roll.

We also offer various attractive designs, such as wood grain, solid color, marble, brick and so on, which come in different selections of surface treatments, such as matt, super matt, embossed, high gloss, and soft touch.

Additionally, we offer personalized OEM and ODM services that can meet the specific needs of customers.

Applications:

1.Membrane Press (vacuum press)

This process is applicable to Association of Woodworking & Furnishing Supplier's Medium Density Fiberboard (MDF), particleboard, wooden board, fiberboard components, doors and kitchen cabinets. It applies a powerful vacuum press that can cover embossed board and five surfaces all at the same time. The applicable thickness ranges from 0.20 to 0.50mm; width from 1260 to 1400mm and length from 100 to 300m/roll.

2.Wrapping Profiles

This technique is most suitable for wooden profiles, aluminium profiles and PVC profiles, such as door frames, window sills, base channels and PVC ceilings. The thickness ranges from 0.12 to 0.18mm whereas the width between 40 and 1260mm, and length of up to 800m/roll.

3.Cold Laminating

This type of processing is suitable for various flat panels such as wood panels, steel panels and even PVC panels for doors and furniture components; with thickness between 0.12 and 0.20mm; and width up to 1260mm, as well as length of up to 500m/roll. 4.Hot Laminating

This technology is common for PVC panels, steel panels and aluminium panels, with usage primarily on doors, skirting and other such materials; the thickness range 0.16 to 0.30mm and the length is between 200 to 300m/roll. The standard width is 1260mm. 5.Self-adhesive

This type of laminating applies to any smooth surface and can be used in indoors decorations. It comes in two widths, 600mm and 1220mm, with a length of 5 to 50m/roll; and the thickness ranges between 0.10 and 0.20mm.

Customization:

Customized PVC Membrane Foil from Realsun Deco

Realsun Deco, located in Foshan, China, offers custom PVC membrane foil with the following features: Brand Name: Realsun Deco Minimum Order Quantity: 3000m/model Price: Negotiable Packaging Details: Pack in roll Delivery Time: 15-20 days Payment Terms: T/T 30% down payment, 70% balance before shipment Supply Ability: 500000m/month Width: 1260mm/1400mm Packaging: Rolls Thickness: 0.14mm-0.5mm Features: Waterproof, Anti Flame, Anti-scratch, Antibacterial,etc. Usage: Lamination, Vacuum Membrane Press, Wrapping, Hot Press etc. Realsun Deco's decorative membrane foil and pvc vacuum film are perfect for membrane pvc foil applications.

Support and Services:

PVC Membrane Foil technical support and services include: Providing one-on-one technical support for product installation and maintenance Providing product specifications for customer reference

Packing and Shipping:

Packaging and Shipping of PVC Membrane Foil

PVC membrane foil is rolled up and sealed with an outer plastick sheet, kraft paper head, and foam protective sheet. Depending on the size and weight of the product, the packages can be shipped by air or sea. All packages should be labeled clearly with the product name, size, delivery address, and contact information of the sender.

In order to ensure the safe delivery of the product, it is important to use the right packaging material. The packaging should be strong enough to protect the product from shocks and vibrations during transportation. The packages should also be sealed properly to keep out moisture and dust.

To ensure timely delivery, it is important for the sender to choose a reliable shipping company. The shipping company should have an efficient tracking system and be able to provide timely updates on the location of the package.

E	Realsun Fosha	n Realsun Decorative I	Aaterial Co., Ltd.
C	+8613790066054	sale1@realsundeco.com	e realsundeco.com
	Room 706, Build 1, No	121 North of Lingnan Avenue,	Foshan, China