

# 400m Length Decorative PVC Foil Soft Touch Easy To Clean

# Basic Information

- Place of Origin:
- Brand Name: Realsun Deco
- Minimum Order
  Quantity:
- Price: Negotiable
- Packaging Details: Pack in roll
- Delivery Time: 15-20 days
- Payment Terms: T/T 30% down payment, 70% balance before shipment

Foshan, China

3000m/model

• Supply Ability: 500000m/month



# **Product Specification**

• MOQ:	3000m/model
Color:	More Than Hundreds Wood Grain Design For Choose
Payment Term:	T/T, L/C, Western Union, Etc.
Product Name:	Wood Grain PVC Film
• Width:	1260mm, 1400mm
Thickness:	0.1mm-0.5mm
• OEM:	Available
• Surface:	Glossy/ Matt/ Embossed/ Textured/ Supper Matt/ Soft Touch
Highlight:	400m Length Decorative PVC Foil , Decorative PVC Foil Soft Touch

# 100m-400m Length Decorative PVC Foil Easy To Clean For Easy Cleaning

# **Product Description:**

#### Material

The main ingredient of our PVC foil is Polyvinyl Chloride (PVC), a synthetic plastic known for its excellent strength, flexibility, and ease of processing.

### Appearance:

We pride ourselves on offering a wide variety of colors, patterns, and textures for our PVC foil. With the ability to imitate the appearance of real materials such as wood, stone, cloth, or metal, our foil provides an affordable option while maintaining a premium look. Adaptability:

Our foil is designed to be versatile and suitable for a variety of surfaces, including walls, doors, cabinets, and furniture. It can be applied to many different spaces, making it a great choice for interior design projects. Durability:

One of the most well-known qualities of Realsun Deco PVC foil is its strength and resistance to deterioration. This durability makes it a popular choice for high-traffic areas.

Maintenance:

After installation, our PVC foil requires minimal maintenance. A simple weekly cleaning with a wet cloth is all it takes to keep it looking its best.

#### Economical:

Compared to natural materials, the primary advantage of decorative PVC foil is its lower cost. This allows for the creation of sophisticated aesthetics without incurring high costs. Modification:

Manufacturers offer a variety of styles and finishes, providing the opportunity for modification to meet project requirements and individual design preferences.

#### Application:

Decorative PVC foil is commonly used for wall paneling, furniture surfaces, retail displays, interior doors, kitchen and bathroom cabinets, and other purposes in both residential and commercial settings.

# Features:

Product Name: Wood Grain PVC Film

Feature: Waterproof, Anti Flame, Easy To Clean Packing: Pack In Roll With Foam Sheet, Kraft Paper And Plastic Sheet OEM: Available Thickness: 0.1mm-0.5mm Payment Term: T/T, L/C, Western Union, Etc. Product Type: PVC Foil for Furniture Application: Ideal for furniture surface decoration Design: Wood grain pattern

# **Applications:**

#### Different Process for Different Application

There are various processes available for covering different surfaces depending on the type of application. These processes include membrane press, wrapping profiles, cold laminating, hot laminating, and self-adhesive. Each process has its own specifications in terms of thickness, width, and length of the covering material.

Membrane Press (Vacuum Press)

Membrane press or vacuum press is suitable for covering surfaces with a thickness ranging from 0.20-0.50mm and a width of 1260mm and 1400mm. The length of the covering material can range from 100-300m per roll. This process is commonly used for covering MDF, particleboard, wooden board, fiberboard, etc. and is commonly employed in making doors, kitchen cabinets, wardrobes, furniture, and more. The membrane press is also capable of covering embossed boards and can cover up to five surfaces simultaneously. Wrapping Profiles

This process involves covering a wide range of profiles, including wood, aluminum, and PVC profiles, with a thin layer of material. The thickness of the covering material used for wrapping profiles ranges from 0.12-0.18mm with a width of 40-1260mm and a length of 300-800m per roll. It is commonly used for door frames, window sills, base channels, PVC ceilings, and other similar applications. Cold Laminating

Cold laminating is a process used for covering flat panels with a covering material. The thickness of the covering material ranges from 0.12-0.20mm with a width of 1240-1260mm and a length of 300-500m per roll. This process is suitable for various flat panels such as wood, steel, aluminum, and PVC panels and is commonly used in making doors and furniture. Hot Laminating

Similar to cold laminating, hot laminating is also used for covering panels, but with thicker materials. The thickness of the material used for hot laminating ranges from 0.16-0.30mm with a width of 1260mm and a length of 200-300m per roll. This process is commonly used for covering PVC panels, steel panels, and aluminum panels, to create finishes for doors, skirting, and other interior elements. Self-Adhesive

This is a unique process that involves using a self-adhesive covering material for smooth surfaces. The thickness of the material used for

self-adhesive ranges from 0.10-0.20mm with a width of 600mm or 1220mm and a length of 5-50m per roll. It can be easily applied to any smooth surface for various applications such as furniture and interior decorations.

# **Customization:**

Customization Service for Wood Grain PVC Film

Brand Name: Realsun Deco

Place of Origin: Foshan, China

Minimum Order Quantity: 3000m/model

Price: Negotiable

Packaging Details: Pack in roll

Delivery Time: 15-20 days

Payment Terms: T/T 30% down payment, 70% balance before shipment

Supply Ability: 500000m/month

Feature: Waterproof, Anti Flame, Easy To Clean

Thickness: 0.1mm-0.5mm

Length: 100m-400m

Color: More Than Hundreds Wood Grain Design For Choose

Surface: Glossy/ Matt/ Embossed/ Textured/ Supper Matt/ Soft Touch

At Realsun Deco, we offer customization services for our Wood Grain PVC Film, a high-quality and durable solution for furniture and interior design. Made in Foshan, China, our products are known for their superior quality and authenticity.

Our minimum order quantity is 3000m/model, and the price is negotiable. Our Wood Grain PVC Film is packed in rolls for easy handling and transportation. The delivery time is 15-20 days, and we accept T/T with a down payment of 30% and a balance of 70% before shipment.

With a supply ability of 500000m/month, we offer a wide range of customization options. Our Wood Grain PVC Film is available in thicknesses of 0.1mm-0.5mm and lengths of 100m-400m. We also offer a variety of colors, with more than hundreds of wood grain designs to choose from. Our surfaces include glossy, matt, embossed, textured, supper matt, and soft touch.

Our Wood Grain PVC Film is not only visually appealing but also functional. It is waterproof, anti-flame, and easy to clean, making it a perfect choice for furniture and interior design projects. With our customization services, you can create a unique and personalized look for your products, making them stand out in the market.

In addition to our Wood Grain PVC Film, we also offer membrane press film and wood effect PVC film for furniture. Our customization services allow you to select the best option for your specific needs and preferences.

Choose Realsun Deco for your Wood Grain PVC Film customization needs and experience the perfect blend of quality, functionality, and aesthetics.

# Packing and Shipping:

#### Packaging and Shipping

Our Wood Grain PVC Film products are carefully packaged to ensure safe transportation. Each roll is wrapped in plastic.

The rolls are then sealed and labeled with product information and shipping details.

We offer both air and sea shipping options, depending on your location and preference.

For air shipping, we use reliable courier services such as DHL, UPS, or FedEx.

For sea shipping, we work with trusted freight forwarders to ensure timely delivery.

Customized packaging and shipping arrangements can also be made upon request.

Please contact us for more information and to discuss your specific needs.

